Printing date 04/15/2015 Revised On 04/15/2015

#### 1 Identification of the substance and manufacturer

MRO CUMMINS BEIGE Trade name:

0006201447 **Product code: IBS Part Number** 81447

**Product category** PC9a Paints and coatings.

Seymour of Sycamore Manufacturer/Supplier:

917 Crosby Avenue, Sycamore, IL 60178 Phone: 815-895-9101 www.seymourpaint.com CHEMTEL 1-800-255-3924, or 813-248-0585.

**Emergency telephone number:** 

# 2 Hazard(s) identification

#### Classification of the substance or mixture

Flam. Aerosol 1 H222 Extremely flammable aerosol.

Press. Gas H280 Contains gas under pressure; may explode if heated.

Carc. 2 H351 Suspected of causing cancer.

May cause damage to organs through prolonged or repeated exposure. STOT RE 2 H373

Causes serious eye irritation. Eve Irrit, 2A H319

STOT SE 3 H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness.

**GHS Hazard pictograms** 

**Precautionary statements** 

GHS02 GHS04 GHS07 GHS08

Danger

Signal word **Hazard statements** Extremely flammable aerosol.

Contains gas under pressure; may explode if heated.

Causes serious eye irritation. Suspected of causing cancer.

May cause respiratory irritation. May cause drowsiness or dizziness. May cause damage to organs through prolonged or repeated exposure. If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Obtain special instructions before use.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Do not spray on an open flame or other ignition source.

Pressurized container: Do not pierce or burn, even after use.

Wash hands thoroughly after handling.
Use only outdoors or in a well-ventilated area.
Wear protective gloves/protective clothing/eye protection/face protection.
Do not handle until all safety precautions have been read and understood.

Do not breathe dust/fume/gas/mist/vapors/spray.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center/doctor if you feel unwell. If eye irritation persists: Get medical advice/attention.

Store locked up.

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

Store in a well-ventilated place. Keep container tightly closed.

Dispose of contents/container in accordance with local/regional/national/international

regulations.

#### 3 Composition/information on ingredients

**Chemical characterization: Mixtures** 

Chemical Description: This product is a mixture of the substances listed below with nonhazardous additions.

Gironingai Bacaripuani		This product is a mixture of the substances noted below with normazarasas additions.		
	components:			
67-64-1	Acetone		17.98%	
74-98-6	propane		15.82%	
106-97-8			9.29%	
	Calcium Carbonate		8.63%	
	methyl isobutyl ketone		7.42%	
2807-30-9	Glycol Ether EP		4.94%	
	titanium dioxide		4.29%	
	isobutyl acetate		3.17%	
107-87-9	Methyl Propyl Ketone		2.54%	
108-65-6	PM acetate		2.11%	

#### 4 First-aid measures

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact:

Remove contaminated clothing. Wash exposed area with soap and water.
Rinse opened eye for several minutes under running water. If symptoms persist, consult a After eye contact:

doctor.

After swallowing: Rinse out mouth and then drink plenty of water. Rinse mouth with water. Do not induce vomiting

Most important symptoms and

effects: Dizziness

(Contd. on page 2)

(Contd. of page 1)

Printing date 04/15/2015 Revised On 04/15/2015

Trade name: MRO CUMMINS BEIGE

Indication of any immediate medical No further relevant information available.

5 Fire-fighting measures

attention needed:

**Extinguishing agents:** 

Special hazards:

Protective equipment for firefighters:

CO2, extinguishing powder or water spray. Fight larger fires with water spray.

Can form explosive gas-air mixtures.

A respiratory protective device may be necessary.

6 Accidental release measures

Personal precautions, protective equipment and emergency

procedures:

Wear protective equipment. Keep unprotected persons away.

Use respiratory protective device against the effects of fumes/dust/aerosol.

Methods and material for containment and cleaning up:

Ensure adequate ventilation.

7 Handling and storage

Precautions for safe handling

Use only in well ventilated areas.

Storage requirements:

Keep away from sources of heat and direct sunlight. Do not warehouse in subfreezing conditions. Store locked up.

# 8 Exposure controls/personal protection

Components	with limit values that require monitoring at the workplace:
67-64-1 Acet	one

PEL (USA) Long-term value: 2400 mg/m<sup>3</sup>, 1000 ppm REL (USA) Long-term value: 590 mg/m<sup>3</sup>, 250 ppm

TLV (USA) Short-term value: (1782) NIC-1187 mg/m3, (750) NIC-500 ppm

Long-term value: (1188) NIC-594 mg/m³, (500) NIC-250 ppm

74-98-6 propane

PEL (USA) Long-term value: 1800 mg/m<sup>3</sup>, 1000 ppm REL (USA) Long-term value: 1800 mg/m<sup>3</sup>, 1000 ppm

TLV (USA) refer to Appendix F

106-97-8 n-butane

TLV (USA)

REL (USA) Long-term value: 1900 mg/m<sup>3</sup>, 800 ppm Short-term value: 2370 mg/m³, 1000 ppm TLV (USA)

108-10-1 methyl isobutyl ketone

PEL (USA) Long-term value: 410 mg/m<sup>3</sup>, 100 ppm REL (USA) Short-term value: 300 mg/m<sup>3</sup>, 75 ppm

Long-term value: 205 mg/m³, 50 ppm Short-term value: 307 mg/m³, 75 ppm

Long-term value: 82 mg/m³, 20 ppm

BEI

110-19-0 isobutyl acetate

Long-term value: 700 mg/m³, 150 ppm PEL (USA) REL (USA) Long-term value: 700 mg/m<sup>3</sup>, 150 ppm TLV (USA) Long-term value: 713 mg/m<sup>3</sup>, 150 ppm

107-87-9 Methyl Propyl Ketone

PEL (USA) Long-term value: 700 mg/m³, 200 ppm REL (USA) Long-term value: 530 mg/m<sup>3</sup>, 150 ppm TLV (USA) Short-term value: 529 mg/m<sup>3</sup>, 150 ppm

108-65-6 PM acetate

WEEL (USA) Long-term value: 50 ppm

## Ingredients with biological limit values:

67-64-1 Acetone

BEI (USA) 50 mg/L

Medium: urine Time: end of shift

Parameter: Acetone (nonspecific)

# 108-10-1 methyl isobutyl ketone

BEI (USA) 1 mg/L Medium: urine

Time: end of shift Parameter: MIBK

Keep away from foodstuffs and animal feed. Wash hands after use. Hygienic protection:

Immediately remove all soiled and contaminated clothing. Wash hands after use.

Avoid contact with the eyes and skin. Do not eat or drink while working.

**Breathing equipment:** A respirator is generally not necessary when using this product outdoors or in large open areas. In cases where short and/or long term overexposure exists, a charcoal filter respirator should be

(Contd. on page 3)

Printing date 04/15/2015 Revised On 04/15/2015

Trade name: MRO CUMMINS BEIGE

(Contd. of page 2)

worn. If you suspect overexposure conditions exist, please consult an authority on chemical

hygeine.

Hand protection: Protective gloves. The glove material must be impermeable and resistant to the substance.

Eye protection: Tightly sealed goggles

#### 9 Physical and chemical properties

Appearance: Aerosol. Odor: Aromatic Odor threshold: Not determined. pH-value: Not determined. Melting point/Melting range Undetermined. **Boiling point:** -44 °C (-47 °F) Flash point: -19 °C (-2 °F) Flammability (solid, gas): Extremely flammable. **Decomposition temperature:** Not determined.

Auto igniting: Product is not self-igniting.

Danger of explosion: In use, may form flammable/explosive vapour-air mixture.

Lower Explosion Limit: 1.7 Vol % **Upper Explosion Limit:** 10.9 Vol % Vapor pressure: Not determined.

**Relative Density:** Between 0.77 and 0.85 (Water equals 1.00)

Vapour density Not determined. **Evaporation rate** Not applicable. Partition coefficient: n-octonal/water: Not determined. Solubility: Not determined. Viscosity: Not determined. **VOC** content: 494.7 g/l / 4.13 lb/gl

VOC content (less exempt solvents): 47.0 % MIR Value: 1.06 Solids content: 35.1 %

#### 10 Stability and reactivity

Reactivity: Stable at normal temperatures.

Conditions to avoid: Do not allow can to exceed 120 degrees Fahrenheit. Do not warehouse in subfreezing

> temperatures. Not fully evaluated.

Chemical stability: Possibility of hazardous reactions: No dangerous reactions known.

Incompatible materials: No further relevant information available. Hazardous decomposition: No dangerous decomposition products known.

# 11 Toxicological information

11 Toxicological Information					
LD/LC50 values that are relevant for classification:					
106-97-8 ו	106-97-8 n-butane				
Inhalative	Inhalative LC50/4 h 658 mg/l (rat)				
108-10-1 ı	108-10-1 methyl isobutyl ketone				
Oral	LD50	2100 mg/kg (rat)			
Dermal	LD50	16000 mg/kg (rab)			
Inhalative	LC50/4 h	8.3-16.6 mg/l (rat)			
13463-67-	13463-67-7 titanium dioxide				
Oral	LD50	>20000 mg/kg (rat)			
Dermal	LD50	>10000 mg/kg (rbt)			
Inhalative	LC50/4 h	>6.82 mg/l (rat)			
110-19-0 isobutyl acetate					
Oral	LD50	4763 mg/kg (rbt)			
108-65-6 l	108-65-6 PM acetate				
Oral	LD50	8500 mg/kg (rat)			
Inhalative	LC50/4 h	35.7 mg/l (rat)			
		cological effects: No data available.			
Skin effec		No irritant effect.			

Eye effects: Irritating effect.

Sensitization: No sensitizing effects known.

Carcinogenic cat	egories			
IARC (Internation	IARC (International Agency for Research on Cancer)			
108-10-1 meth	yl isobutyl ketone	2B		
13463-67-7 titanii	ım dioxide	2B		

(Contd. on page 4)

D

Printing date 04/15/2015 Revised On 04/15/2015

Trade name: MRO CUMMINS BEIGE

NTP (National Toxicology Program)

(Contd. of page 3)

None of the ingredients is listed.

#### 12 Ecological information

Hazardous for water, do not empty into drains.

Aquatic toxicity:
Persistence and degradability:

The product is degradable after prolonged exposure to natural weathering processes.

Bioaccumulative potential: Mobility in soil: Other adverse effects:

No further relevant information available. No further relevant information available. No further relevant information available.

#### 13 Disposal considerations

Dispose of in accordance with local, state, and federal regulations. Do not puncture, incinerate, or compact. Partially empty cans must be disposed of responsibly. Do not heat or cut empty containers with electric or gas torches.

Recommendation: Completely empty cans should be recycled.

14 Transport information

**UN-Number** UN1950 DOT N/A UN1950

DOT Consumer Commodity ORM-D

Aerosols, flammable 1950 Aerosols

**ADR** 

Transport hazard class(es):

Class 2.1 Marine pollutant: No

Warning: Gases F-D,S-U Special precautions for user:

EMS Number:

**Packaging Group:** 

UN1950, Aerosols, 2.1 **UN "Model Regulation":** 

## 15 Regulatory information

SARA Section 355	(extremely	/ hazardous	substances	):
------------------	------------	-------------	------------	----

None of the ingredients in this product are listed.

## SARA Section 313 (Specific toxic chemical listings):

108-10-1 methyl isobutyl ketone

CPSC: This product complies with 16 CFR 1303 and does not contain more than 90 ppm of lead.

California Proposition 65 chemicals known to cause cancer:

108-10-1 methyl isobutyl ketone

13463-67-7 titanium dioxide

100-41-4 ethyl benzene

# **CANADIAN ENVIRONMENTAL**

**PROTECTION ACT:** All hazardous ingredients for this product appear on the Canadian Domestice Substance List.

EPA:

67-64-1 Acetone 108-10-1 methyl isobutyl ketone

110-19-0 isobutyl acetate

**USDA (United States Department of** 

Agriculture):

Category 21: This product was manufactured to conform to the USDA Food Safety and Inspection Service performance standards. These standards include, but are not limited to, the ability of this product to be safe for use in official meat and poultry establishments, and to perform well under a daily regimen of thorough cleaning, cyclical temperature change, and wet conditions. This product may be used where there is a possibility of incidental food contact.

# 16 Other information

Contact: Regulatory Affairs Date of preparation / last revision 04/15/2015 / -