



## Threaded Rod

### A

#### Assortments

Threaded Rod  
USS B-7 M-3  
USS B-16 M-3  
USS MILD STEEL M-3

### R

#### Round Bar

Mild Steel M-2

### T

#### Threaded Rod

B-7  
National Coarse M-2  
National Fine M-2  
B-16  
National Coarse M-2  
Zinc Plated  
National Coarse M-2  
National Fine M-2  
Round Bar, Mild Steel M-2

T  
H  
R  
E  
A  
D  
E  
D  
R  
O  
D



# IBS, INCORPORATED

## Threaded Rod M01 to M06

### Zinc Plated All Thread Rod

#### Mild Steel All Thread (M01) National Coarse

IBS No.	Size	Length
14850	6-32	3 ft
14851	8-32	3 ft.
14852	10-24	3 ft.
14854	1/4-20	3 ft.
14855	5/16-18	3 ft.
14856	3/8-16	3 ft.
14857	7/16-14	3 ft.
14858	1/2-13	3 ft.
14859	9/16-12	3 ft.
14860	5/8-11	3 ft.
14861	3/4-10	3 ft.
14862	7/8-9	3 ft.
14863	1" - 8	3 ft.

#### Mild Steel All Thread (M02) National Fine

IBS No.	Size	Length
14864	10-32	3 ft
14865	1/4-28	3 ft.
14866	5/16-24	3 ft.
14867	3/8-24	3 ft.
14868	7/16-20	3 ft.
14869	1/2-20	3 ft.
14870	9/16-18	3 ft.
14871	5/8-18	3 ft.
14872	3/4-16	3 ft.
14873	7/9-14	3 ft.
14874	1" - 14	3 ft.

#### Mild Steel Round Bar (M06)

IBS No.	Size	Length
45000	1/8	3 ft
45002	3/16	3 ft.
45003	1/4	3 ft.
45004	5/16	3 ft.
45005	3/8	3 ft.
45006	7/16	3 ft.
45007	1/2	3 ft.
45008	9/16	3 ft.
45009	5/8	3 ft.
45010	3/4	3 ft.
45011	7/8	3 ft.
45012	1"	3 ft.



#### Mild Steel All Thread Rod

- Cut from Grade 2 stock.
- Non-heat treated.
- Zinc plated for corrosion resistance.

#### Round Bar Stock

- Made from low carbon steel.
- Cold drawn for toughness.
- Zinc plated for corrosion resistance.
- Excellent machinability.
- Meets ASTM-A-108

### B-7 All Thread Rod

#### B-7 All Thread Rod (M03) National Coarse

IBS No.	Size	Length
14880	1/4-20	3 ft
14881	5/16-18	3 ft.
14882	3/8-16	3 ft.
14883	7/16-14	3 ft.
14884	1/2-13	3 ft.
14885	9/16-12	3 ft.
14886	5/8-11	3 ft.
14887	3/4-10	3 ft.
14888	7/8-9	3 ft.
14889	1" - 8	3 ft.
14890	1-1/8" - 7	3 ft.
14891	1-1/4" - 7	3 ft.
14891A	1-1/4" - 8	3 ft.
14893	1-1/2" - 6	3 ft.

#### B-7 All Thread Rod (M04) National Fine

IBS No.	Size	Length
15000	1/4-28	3 ft
15001	5/16-24	3 ft.
15002	3/8-24	3 ft.
15003	7/16-20	3 ft.
15004	1/2-20	3 ft.
15005	9/16-18	3 ft.
15006	5/8-18	3 ft.
15007	3/4-16	3 ft.
15008	7/8-14	3 ft.
15009	1" - 14	3 ft.

#### Grade 10.9 Threaded Rod (M07) National Coarse, Plain

IBS No.	Size	Length
45050	M6-1.0	3 ft
45051	M8-1.25	3 ft.
45052	M10-1.5	3 ft.
45053	M12-1.75	3 ft.
45054	M14-2.0	3 ft.
45055	M16-2.0	3 ft.
45056	M20-2.5	3 ft.
45058	M24-3.0	3 ft.
45059	M30-3.5	3 ft.



B-7 All Thread Rod is composed of Chromium and Molybdenum. It has a minimum tempering temperature of 1100°F.

#### Technical Data

Min. Tensile Strength: . . . . .125,000 psi.    Min. Area Reduction:    B-7 . . . . . 60%  
 Yield Strength: . . . . . 105,000 psi.    Min. Tempering Temp.    B-7 . . . . . 1100°F  
 Min. Elongation:    B-7 . . . . . 16%

T  
H  
R  
E  
A  
D  
E  
D  
R  
O  
D

M-2



09-08-17

The Mark of Our Quality is in Our Service



### All Thread Rod Assortments (Z02)

All Threaded Rod Comes in Three (3) Ft or 1 Meter Lengths  
Threaded Rod Rack Included

#### USS MILD STEEL IBS No. 175R 11 Items • 31 Pcs

IBS No.	Size	Qty
14850	6-32	2
14851	8-32	2
14852	10-24	2
14854	1/4-20	5
14855	5/16-18	4
14856	3/8-16	5
14857	7/16-14	2
14858	1/2-13	4
14859	9/16-12	1
14860	5-8-11	2
14861	3/4-10	2
AJ367	RACK	1

#### USS B-7 IBS No. 176R 8 Items • 18 Pcs

IBS No.	Size	Qty
14880	1/4-20	3
14881	5/16-18	3
14882	3/8-16	3
14883	7/16-14	2
14884	1/2-13	3
14885	9/16-12	1
14886	5/8-11	2
14887	3/4-10	1
AJ367	RACK	1

#### METRIC 10.9 IBS No. 808R 6 Items • 12 Pcs

IBS No.	Size	Qty
45050	M6-1.0	2
45051	M8-1.25	2
45052	M10-1.5	2
45053	M12-1.75	2
45055	M16-2.0	2
45056	M20-2.5	2
AJ367	RACK	1



THREADED ROD



# ***IBS, INCORPORATED***

## **Threaded Rod M01 to M06**

**T  
H  
R  
E  
A  
D  
E  
D  
  
R  
O  
D**

**M-4**



The Mark of Our Quality is in Our Service

09-08-17