

Printing date 07/13/2022

1 Identification

- Product identifier

- Trade name: Copper Anti-Seize Compound

- **Part number:** 74152

- Application of the substance / the mixture Lubricant

- Details of the supplier of the safety data sheet

Manufacturer/Supplier: IBS, Inc. 740 Clay St NW Auburn, WA 98001 Tel: (253) 804-8666 Toll Free in USA: 1-800-678-1906 Email: info@industrialbolt.com Website: www.industrialbolt.com

- Information department: Product Safety Department

- *Emergency telephone number:* United States : 1-800-255-3924 International (toll-free): 1-813-248-0585 International: 1-813-248-0573

2 Hazard(s) identification

- Classification of the substance or mixture

GHS08 Health hazard

Carcinogenicity 1A

H350 May cause cancer.

Safety Data Sheet

acc. to OSHA HCS

Specific Target Organ Toxicity - Repeated Exposure 1 H372 Causes damage to organs through prolonged or repeated exposure.



Eye Irritation 2A

H319 Causes serious eye irritation.

- Label elements

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms



- Signal word Danger

- Hazard-determining components of labeling:
- Soapstone
- Hazard statements
- H319 Causes serious eye irritation.
- H350 May cause cancer.
- H372 Causes damage to organs through prolonged or repeated exposure.

Precautionary statements

- P201 Obtain special instructions before use.
- P202 Do not handle until all safety precautions have been read and understood.
- P260 Do not breathe dust/fume/gas/mist/vapors/spray.
- P264 Wash thoroughly after handling.
- P270 Do not eat, drink or smoke when using this product.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P280 Wear eye protection / face protection.
- P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P308+P313 IF exposed or concerned: Get medical advice/attention.
- P314 Get medical advice/attention if you feel unwell.
- P337+P313 If eye irritation persists: Get medical advice/attention.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/international regulations.

- Other hazards

- Results of PBT and vPvB assessment
 - **PBT:** Not applicable.

Reviewed on 07/13/2022

Trade name: Copper Anti-Seize Compound

(Contd. of page 1)

Reviewed on 07/13/2022

| - vPvB: Not applicable. | |
|--------------------------------|--|
|--------------------------------|--|

3 Composition/information on ingredients

- Chemical characterization: Mixtures

- **Description:** Mixture of the substances listed below with nonhazardous additions.

| CAS: 74869-21-9 | Lubricating greases | 60 - 69% |
|-----------------|--|----------|
| | Skin Irrititation 2, H315 | |
| CAS: 14807-96-6 | Soapstone | 10 – 19% |
| | Carcinogenicity 1A, H350; Specific Target Organ Toxicity - Repeated Exposure 1, H372 | |
| CAS: 1317-65-3 | Calcium Carbonate | 5 – 9% |
| | Skin Irrititation 2, H315 | |
| CAS: 12001-26-2 | Mica | 1 – 4% |
| CAS: 7440-50-8 | copper | 1-4% |

4 First-aid measures

- Description of first aid measures

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
 - Most important symptoms and effects, both acute and delayed No further relevant information available.
 - Indication of any immediate medical attention and special treatment needed
 - No further relevant information available.

5 Fire-fighting measures

- Extinguishing media

- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.

- Advice for firefighters

- Protective equipment:
- Wear self-contained respiratory protective device.
- Wear fully protective suit.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Wear protective clothing.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up: Dispose of the collected material according to regulations.
- Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- Handling:

- Precautions for safe handling No special measures required.
- Information about protection against explosions and fires: No special measures required.

- Conditions for safe storage, including any incompatibilities

- Storage:
 - Requirements to be met by storerooms and receptacles: No special requirements.
 - Information about storage in one common storage facility: Not required.
 - Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.

Printing date 07/13/2022

T

Reviewed on 07/13/2022

| inting (| | |
|------------|---|---|
| rade n | name: Copper Anti-Seize C | Compound |
| | | · (Contd. of page 2 |
| Con | tral paramatara | |
| | trol parameters | as that require monitoring at the workplace. |
| | | es that require monitoring at the workplace: s have no known exposure limits. |
| | : 12001-26-2 Mica | s have no known exposure innits. |
| | = | |
| | Long-term value: 20 mppcf ppm <1% crystalline silica | I |
| REL | Long-term value: 3* mg/m ³ *respirable dust; containing < 1 ⁴ | % quartz |
| TLV | Long-term value: 0.1 mg/m ³ *resp.fraction | |
| CAS | : 7440-50-8 copper | |
| PEL | Long-term value: 1* 0.1** mg/m as Cu *dusts and mists **fume | 3 |
| REL | Long-term value: 1* 0.1** mg/m as Cu *dusts and mists **fume | 3 |
| TLV | Long-term value: 1* 0.2** mg/m *dusts and mists; **fume; as Cu | |
| | | The lists that were valid during the creation were used as basis. |
| | Protection of hands: The glove material has to be Selection of the glove materia Material of gloves The selection of the suita manufacturer to manufac not be calculated in adva Nitrile rubber, NBR Penetration time of g The exact break through Body protection: Protection | time has to be found out by the manufacturer of the protective gloves and has to be observed. ve work clothing |
| 9 Phy | vsical and chemical prop | erties |
| | rmation on basic physical a General Information - Appearance: - Form: - Color: - Odor: | Pasty Bronze colored Petroleum-like |
| | - Odor threshold: | Not determined. |
| - p | oH-value at 20 °C (68 °F): | 7 |
| | . | |

| | Not determined. |
|---|---|
| - pH-value at 20 °C (68 °F): | 7 |
| - Change in condition - Melting point/Melting range: - Boiling point/Boiling range: | > 232 °C (> 449.6 °F) Undetermined. |
| - Flash point: | > 221 °C (> 429.8 °F) |
| - Flammability (solid, gaseous): | Not applicable. |
| - Ignition temperature: | > 260 °C (> 500 °F) |
| - Decomposition temperature: | Not determined. |
| - Auto igniting: | Product is not selfigniting. |
| - Danger of explosion: | Product does not present an explosion hazard. |
| - Explosion limits: - Lower: - Upper: | Not determined. Not determined. |
| - Vapor pressure: | Not determined. |
| - Density at 20 °C (68 °F): - Relative density | ~ 1.09 g/cm³ (~ 9.09605 lbs/gal) Not determined. |
| | |

Printing date 07/13/2022

Trade name: Copper Anti-Seize Compound

Reviewed on 07/13/2022

| - Other information | No further relevant information available. | |
|--|--|----------------|
| - Solids content: | 37.8 % | |
| - VOC content: | 0.00 % 0.0 g/l / 0.00 lb/gal | |
| - Solvent content: | | |
| - Dynamic at 20 °C (68 °F): - Kinematic: | 100,000 mPas Not determined. | |
| - Viscosity: | | |
| - Partition coefficient (n-octanol/water): Not determined. | | |
| Solubility in / Miscibility with Water: | Not miscible or difficult to mix. | |
| - Vapor density - Evaporation rate | Not determined. Not determined. | |
| | | (Contd. of pag |

10 Stability and reactivity

- Reactivity No further relevant information available.

- Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- Possibility of hazardous reactions No dangerous reactions known.

- Conditions to avoid No further relevant information available.

- Incompatible materials: No further relevant information available.

- Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- Information on toxicological effects

- Acute toxicity:
 - Primary irritant effect:
 - on the skin: No irritant effect.
 - on the eye: No irritating effect.
 - Sensitization: No sensitizing effects known.

- Additional toxicological information:

- Carcinogenic categories

| - IARC (International Agency for Research on Cancel | ch on Cancer) | (International Agency | - IARC (|
|---|---------------|-----------------------|----------|
|---|---------------|-----------------------|----------|

CAS: 14807-96-6 Soapstone

- NTP (National Toxicology Program)

None of the ingredients is listed.

- OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- Toxicity
 - Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
 - Bioaccumulative potential No further relevant information available.

- Mobility in soil No further relevant information available.

- Additional ecological information:
 - General notes:
 - Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- vPvB: Not applicable.

- Other adverse effects No further relevant information available.

3

Safety Data Sheet acc. to OSHA HCS

Printing date 07/13/2022

Trade name: Copper Anti-Seize Compound

Reviewed on 07/13/2022

| Trade name: Copper Anti-Seize Compound | |
|--|---|
| | (Contd. of page 4 |
| 13 Disposal considerations | |
| - Waste treatment methods - Recommendation: Must not be disposed of tog | gether with household garbage. Do not allow product to reach sewage system. |
| - Uncleaned packagings: - Recommendation: Disposal must be made ac | cording to official regulations. |
| 14 Transport information | |
| - UN-Number | |
| - DOT, ADN, IMDG, IATA | not regulated |
| - UN proper shipping name - DOT, ADN, IMDG, IATA | not regulated |
| Transport hazard class(es) | |
| - DOT, ADN, IMDG, IATA | |
| - Class | not regulated |
| - Packing group - DOT, IMDG, IATA | not regulated |
| - Environmental hazards: | |
| - Marine pollutant: | No |
| - Special precautions for user | Not applicable. |
| - Transport in bulk according to Annex II of M | |
| and the IBC Code | Not applicable. |
| - UN "Model Regulation": | not regulated |
| 15 Regulatory information | |
| - Safety, health and environmental regulations No further relevant information available. - Sara | s/legislation specific for the substance or mixture |
| - Section 355 (extremely hazardous | substances): |
| None of the ingredients is listed. | |
| - Section 313 (Specific toxic chemic | al listings): |
| CAS: 7440-50-8 copper | |
| - TSCA (Toxic Substances Control Act): | : ACTIVE |
| Soapstone Calcium Carbonate | ACTIVE |
| Mica | ACTIVE |
| copper | ACTIVE |
| - Hazardous Air Pollutants | |
| None of the ingredients is listed. | |
| - Proposition 65 | |
| Chemicals known to cause cancer. | |
| None of the ingredients is listed. | |
| Chemicals known to cause reproduce | uctive toxicity for females: |
| None of the ingredients is listed. | |
| Chemicals known to cause reproduce | uctive toxicity for males: |
| None of the ingredients is listed. | |
| - Chemicals known to cause develop | pmental toxicity: |
| None of the ingredients is listed. | |

- Carcinogenic categories

- EPA (Environmental Protection Agency)

CAS: 7440-50-8 copper

- TLV (Threshold Limit Value)

CAS: 14807-96-6 Soapstone

D

Safety Data Sheet acc. to OSHA HCS

Printing date 07/13/2022

Trade name: Copper Anti-Seize Compound

Reviewed on 07/13/2022

| | (Contd. of page 5) |
|--|--------------------|
| NIOSH-Ca (National Institute for Occupational Safety and Health) | |
| None of the ingredients is listed. | |
| - Chemical safety assessment: A Chemical Safety Assessment has not been carried out. | |

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.


- Department issuing SDS: Safety, Health and Environmental Affairs

- Classification System:

- HMIS-ratings (scale 0 - 4)



- NFPA ratings (scale 0 - 4)



- Date of preparation / last revision 07/13/2022 / 49

Abbreviations and acronyms:

Abbreviations and acromytris.
 IMDG: International Maritime Code for Dangerous Goods
 DOT: US Department of Transportation
 IATA: International Air Transport Association
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 VOC: Volatile Organic Compounds (USA, EU)
 PBT: Persistent, Bioaccumulative and Toxic
 vPVB: very Persistent and very Bioaccumulative
 NIOSH: National Institute for Occupational Safety
 OSHA: Occupational Safety & Health
 TLV: Threshold Limit Value
 PEL: Permissible Exposure Limit
 REL: Recommended Exposure Limit
 REL: Recommended Exposure Limit
 Skin Irrititation 2: Skin corrosion/irritation – Category 2
 Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A
 Carcinogenicity 1A: Carcinogeneity – Category 1A
 Specific Target Organ Toxicity - Repeated Exposure 1: Specific target organ toxicity (repeated exposure) – Category 1
 * Data compared to the previous version altered.