SAFETY DATA SHEET



Issuing Date 20-Oct-2022 Revision date 20-Oct-2022 Revision Number 1

1. Identification

Product identifier

Product Name Vinculum All Position Stainless

Other means of identification

Product Code(s) 46064 (5/64), 46065 (3/32) & 46066 (1/8)

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended use Covered Electrode for Shielded Metal Arc Welding (SMAW)

Restrictions on use No information available

Details of the supplier of the safety data sheet

Supplier Address

IBS, Inc. PO Box 1717, Auburn, WA 98071-1717

Emergency telephone number

Company Phone Number 800-678-1906

Emergency Telephone Velocity EHS: 1-888-255-3924

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

| Skin sensitization | Category 1 |
|--|-------------|
| Carcinogenicity | Category 1A |
| Specific target organ toxicity (repeated exposure) | Category 1 |

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Danger

Hazard statements

May cause an allergic skin reaction

May cause cancer

Causes damage to organs through prolonged or repeated exposure



Appearance Coated electrode

Physical state Solid

Odor Odorless

Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood Wear protective gloves/protective clothing/eye protection/face protection Contaminated work clothing must not be allowed out of the workplace Do not breathe dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention Specific treatment (see on this label) IF ON SKIN: Wash with plenty of water and soap If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

Very toxic to aquatic life with long lasting effects

When this product is used in a welding process, the hazards are mostly from electric shock, heat, radiation, fumes and gases. Electric shock can kill. Arc rays, spatter, and melting metals can severely injure eyes and burn skin. Welding arc and sparks can cause fire

Fumes and gases can be dangerous to your health. Certain medical studies have suggested that nervous system and/or lung damage can result from overexposure to welding fumes and gases

The welding fumes and gases produced from welding rod, coating flux, and base metal in a welding process may contain manganese and manganese compounds, nickel and nickel compounds, chromium (VI) and chromium compound, carbon dioxide, carbon monoxide, nitrogen dioxide, and ozone.

Overexposure to manganese and its compounds may cause metal fume fever and affect the central nervous system. Prolonged inhalation of nickel and chromium (VI) compounds above safe exposure limits can cause cancer

Unknown acute toxicity

99.3 % of the mixture consists of ingredient(s) of unknown toxicity

32.5 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

99.3 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

99.3 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

99.3 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

99.3 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

3. Composition/information on ingredients

Substance

Not applicable.

<u>Mixture</u>

| Chemical name | CAS No. | Weight-% | Trade secret |
|----------------------------|------------|----------|--------------|
| Chromium | 7440-47-3 | 10-30 | * |
| Nickel | 7440-02-0 | 7-13 | * |
| Natural diatomaceous earth | 61790-53-2 | 5-10 | * |
| Molybdenium | 7439-98-7 | 1-5 | * |
| Manganese | 7439-96-5 | 1-5 | * |
| Aluminium Oxide | 1344-28-1 | 1-5 | * |

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get

medical advice/attention.

Inhalation Remove to fresh air.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin contact Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation

or allergic reactions see a physician.

Ingestion Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and effects, both acute and delayed

Symptoms Itching. Rashes. Hives.

Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization in susceptible persons. Treat symptomatically.

5. Fire-fighting measures

surrounding environment.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the

chemical

Product is or contains a sensitizer. May cause sensitization by skin contact.

Explosion data

Sensitivity to mechanical impact None. Sensitivity to static discharge None.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required. Evacuate personnel to safe areas. Keep people away

from and upwind of spill/leak.

Other information Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

7. Handling and storage

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment such as an air supplied respirator. Do not eat, drink or smoke

when using this product. Take off contaminated clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach

of children.

8. Exposure controls/personal protection

Control parameters

Exposure Limits

| Chemical name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|----------------------------|--|--|------------------------------|
| Chromium | TWA: 0.5 mg/m³ inhalable | TWA: 1 mg/m ³ | IDLH: 250 mg/m ³ |
| 7440-47-3 | particulate matter | (vacated) TWA: 1 mg/m³ | TWA: 0.5 mg/m ³ |
| Nickel | TWA: 1.5 mg/m³ inhalable | TWA: 1 mg/m ³ | IDLH: 10 mg/m ³ |
| 7440-02-0 | particulate matter | (vacated) TWA: 1 mg/m³ | TWA: 0.015 mg/m ³ |
| Natural diatomaceous earth | No data available | (vacated) TWA: 6 mg/m³ | - |
| 61790-53-2 | | Silica, amorphous <1% | |
| | | Crystalline silica | |
| | | : (80)/(% SiO2) mg/m ³ TWA | |
| | | TWA: 20 mppcf | |
| Molybdenium | TWA: 10 mg/m³ inhalable | TWA: 15 mg/m³ total dust | IDLH: 5000 mg/m ³ |
| 7439-98-7 | particulate matter | (vacated) TWA: 10 mg/m³ | |
| | TWA: 3 mg/m³ respirable | | |
| | particulate matter | () TIMA () 2 5 | 10111 500 / 3 |
| Manganese | TWA: 0.02 mg/m³ respirable | (vacated) TWA: 1 mg/m³ fume | IDLH: 500 mg/m ³ |
| 7439-96-5 | particulate matter | (vacated) STEL: 3 mg/m³ fume | TWA: 1 mg/m³ fume |
| | TWA: 0.1 mg/m³ inhalable | (vacated) Ceiling: 5 mg/m³ | STEL: 3 mg/m ³ |
| Aluminium Oxide | particulate matter TWA: 1 mg/m³ respirable | Ceiling: 5 mg/m³ fume TWA: 15 mg/m³ total dust | |
| 1344-28-1 | | TWA: 15 mg/m ³ respirable | - |
| 1344-20-1 | particulate matter | fraction | |
| | | (vacated) TWA: 10 mg/m³ total | |
| | | dust | |
| | | (vacated) TWA: 5 mg/m³ | |
| | | respirable fraction | |

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Vinculum All Position Stainless

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Wear suitable gloves. Hand protection

Skin and body protection Wear suitable protective clothing.

No protective equipment is needed under normal use conditions. If exposure limits are Respiratory protection

exceeded or irritation is experienced, ventilation and evacuation may be required.

Do not eat, drink or smoke when using this product. Wash hands before breaks and General hygiene considerations

immediately after handling the product.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state Solid

Appearance Coated electrode

Color beige Odor Odorless

Odor threshold No information available

Property Remarks • Method Values

pН No data available None known No data available None known Melting point / freezing point Boiling point / boiling range No data available None known No data available None known Flash point None known **Evaporation rate** No data available Flammability (solid, gas) No data available None known Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

No data available None known Vapor pressure Vapor density No data available None known No data available Relative density None known Water solubility No data available None known Solubility in other solvents No data available None known **Partition coefficient** No data available None known **Autoignition temperature** No data available None known **Decomposition temperature** No data available None known Kinematic viscosity No data available None known **Dynamic viscosity** No data available None known

Other information

No information available **Explosive properties Oxidizing properties** No information available No information available Softening point Molecular weight No information available **VOC Content (%)** No data available **Liquid Density** No information available **Bulk density** No information available

10. Stability and reactivity

Reactivity No information available.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions None under normal processing.

Conditions to avoid None known based on information supplied.

None known based on information supplied. Incompatible materials

Hazardous decomposition products None known based on information supplied.

11. Toxicological information

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available.

Eve contact Specific test data for the substance or mixture is not available.

Skin contact May cause sensitization by skin contact. Specific test data for the substance or mixture is

not available. Repeated or prolonged skin contact may cause allergic reactions with

susceptible persons. (based on components).

Ingestion Specific test data for the substance or mixture is not available.

Symptoms related to the physical, chemical and toxicological characteristics

Itching. Rashes. Hives. **Symptoms**

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 18,429.10 mg/kg

99.3 % of the mixture consists of ingredient(s) of unknown toxicity Unknown acute toxicity

32.5 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

99.3 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

99.3 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

99.3 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

99.3 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Component Information

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|------------------------------|--------------------|-------------|----------------------|
| Nickel 7440-02-0 | > 9000 mg/kg (Rat) | - | > 10.2 mg/L (Rat)1 h |
| Manganese 7439-96-5 | = 9 g/kg(Rat) | - | - |
| Aluminium Oxide 1344-28-1 | > 5000 mg/kg(Rat) | - | - |

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation No information available.

No information available. Serious eye damage/eye irritation

May cause sensitization by skin contact. Respiratory or skin sensitization

Germ cell mutagenicity No information available.

Carcinogenicity Classification based on data available for ingredients.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical name | ACGIH | IARC | NTP | OSHA |
|----------------------|-------|----------|------------------------|------|
| Chromium | - | Group 3 | - | - |
| 7440-47-3 | | | | |
| Nickel | - | Group 2B | Reasonably Anticipated | X |
| 7440-02-0 | | | | |
| Natural diatomaceous | - | Group 3 | - | X |
| earth | | | | |
| 61790-53-2 | | | | |

Legend

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

NTP (National Toxicology Program)

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposureCauses damage to organs through prolonged or repeated exposure.

Target organ effects liver, kidney, Respiratory system, Eyes, Skin, Central nervous system, blood, Lungs, Nasal

Cavities.

Aspiration hazard No information available.

Other adverse effects No information available.

Interactive effects No information available.

12. Ecological information

Ecotoxicity

Very toxic to aquatic life with long lasting effects.

| Chemical name | Algae/aquatic plants | Fish | Toxicity to microorganisms | Crustacea |
|---|--|--|----------------------------|--|
| Nickel 7440-02-0 | EC50: =0.18mg/L (72h, Pseudokirchneriella subcapitata) EC50: 0.174 - 0.311mg/L (96h, Pseudokirchneriella subcapitata) | LC50: >100mg/L (96h, Brachydanio rerio) LC50: =1.3mg/L (96h, Cyprinus carpio) LC50: =10.4mg/L (96h, Cyprinus carpio) | - | EC50: >100mg/L (48h, Daphnia magna) EC50: =1mg/L (48h, Daphnia magna) |
| Natural diatomaceous earth 61790-53-2 | - | LC50: >10000mg/L (72h, Cyprinus carpio) | - | - |
| Manganese 7439-96-5 | - | LC50: >3.6mg/L (96h, Oncorhynchus mykiss) | - | - |

Persistence and degradability No information available.

Bioaccumulation There is no data for this product.

Other adverse effects No information available.

13. Disposal considerations

Waste treatment methods

Waste from residues/unused products

Dispose of waste in accordance with environmental legislation. Dispose of in accordance

with local regulations.

Contaminated packaging Do not reuse empty containers.

| Chemical name | RCRA | RCRA - Basis for Listing | RCRA - D Series Wastes | RCRA - U Series Wastes |
|---------------|------|--------------------------|---------------------------|------------------------|
| Chromium | - | Included in waste | 5.0 mg/L regulatory level | - |
| 7440-47-3 | | streams: F032, F034, | | |
| | | F035, F037, F038, F039 | | |
| Nickel | - | Included in waste | - | - |
| 7440-02-0 | | streams: F006, F039 | | |

California Hazardous Waste Status This product contains one or more substances that are listed with the State of California as a hazardous waste.

| Chemical name | California Hazardous Waste Status |
|----------------------------|-----------------------------------|
| Chromium | Toxic |
| 7440-47-3 | Corrosive |
| | Ignitable |
| Nickel | Toxic powder |
| 7440-02-0 | Ignitable powder |
| Natural diatomaceous earth | Toxic |
| 61790-53-2 | |
| Molybdenium | Ignitable powder |
| 7439-98-7 | |
| Manganese | Ignitable powder |
| 7439-96-5 | |

14. Transport information

DOT Not regulated **TDG** Not regulated Not regulated MEX Not regulated ICAO (air) Not regulated IATA <u>IMDG</u> Not regulated Not regulated <u>RID</u> Not regulated <u>ADR</u> ADN Not regulated

15. Regulatory information

International Inventories

Contact supplier for inventory compliance status. **TSCA** DSL/NDSL Contact supplier for inventory compliance status. **EINECS/ELINCS** Contact supplier for inventory compliance status. Contact supplier for inventory compliance status. **ENCS** Contact supplier for inventory compliance status. **IECSC KECL** Contact supplier for inventory compliance status. **PICCS** Contact supplier for inventory compliance status. **AICS** Contact supplier for inventory compliance status.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications. Under the amended regulations at 40 CFR 370, EPCRA 311/312 Tier II reporting for the 2017 calendar year will need to be consistent with updated hazard classifications.

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

| Chemical name | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|-----------------------|--------------------------------|------------------------|---------------------------|-------------------------------|
| Chromium 7440-47-3 | - | X | X | - |
| Nickel 7440-02-0 | - | X | X | - |

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

| Chemical name | Hazardous Substances RQs | Extremely Hazardous Substances RQs |
|-----------------------|--------------------------|------------------------------------|
| Chromium 7440-47-3 | 5000 lb | - |
| Nickel 7440-02-0 | 100 lb | - |

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:.

| Chemical name | California Proposition 65 |
|--------------------|---------------------------|
| Nickel - 7440-02-0 | Carcinogen |

U.S. State Right-to-Know Regulations

US State Regulations

| Chemical name | New Jersey | Massachusetts | Pennsylvania |
|---------------------------------------|------------|---------------|--------------|
| Chromium 7440-47-3 | Х | X | X |
| Nickel 7440-02-0 | X | X | X |
| Natural diatomaceous earth 61790-53-2 | X | - | - |
| Manganese 7439-96-5 | Х | X | X |
| Molybdenium 7439-98-7 | Х | X | X |
| Potassium oxide 12136-45-7 | Х | - | - |
| Aluminium Oxide 1344-28-1 | Х | X | Х |

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information

NFPA Health hazards 2 Flammability 0 Instability 0 Physical and chemical properties -

HMIS Health hazards 2 * Flammability 0 Physical hazards 0 Personal protection X

Chronic Hazard Star Legend *= Chronic Health Hazard

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

RTECS (Registry of Toxic Effects of Chemical Substances) World Health Organization

Issuing Date 20-Oct-2022

Revision date 20-Oct-2022

Revision Note No information available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet