

LOCK-N-FLATE 90° AIR CHUCK WHEREVER YOU ROLL, INFLATE WITH CONTROL!

SECURE + HANDS-FREE + LEAK-FREE

NEW \$39⁹⁹!

- **REVOLUTIONARY DESIGN**
six steel jaws lock onto any Schrader valve to create a secure, hands free connection.
- **1/4" NPT THREAD SIZE**
compatible with most standard air hoses.
- **HARDENED STEEL COLLET**
Fits ALL standard Schrader valves (VG8/8V1 valve threads).
- **RATED TO 150 PSI**
Suitable for garage & Industrial systems, auto and manual tire inflators, portable pressure gauges & constant pressure systems.
- **HEAVY DUTY CONSTRUCTION**
is built to last and stand up to everyday use even in the busiest tire shops, service bays and garages.
- **SPRING LOADED TPU SEAL**
Inflates tires with or without the core valve in place.

HARDENED STEEL COLLET
FITS ALL SHRADER VALVES
RATED TO 150 PSI

IBS No. 5851

SLIDING SLEEVE SECURELY
LOCKS THE AIR CHUCK ONTO
THE SHRADER VALVE

DEPRESS THE THUMB LEVER & PUSH
ON THE TIRE VALVE,
RELEASE THE LEVER TO SECURE THE
AIR CHUCK & CREATE A
LEAK-FREE CONNECTION!



INFLATE DUAL TIRES EASY

DUAL WHEEL LOCKING AIR CHUCK IBS No. 5859

Two-jaw locking design with a patented remote actuator.

Extended reach to securely inflate duals.


Easily disconnect with the actuator. No need to reach in to disconnect.

Best for airing up inner wheels on semis and other large trucks.


- Fixed Head won't swivel or move when trying to attach.
- Long Reach for easier access to second wheels and harder to reach areas.
- Blue Silicone Grip for better ergonomics and hold.
- Standard 1/4" FNPT thread for easy connection to air lines
- Overall Length: 15.5 in. (40 cm.)
- Maximum pressure: 150 PSI (10.3 BAR)

HOW TO USE: Pull the blue actuator collar back towards you to release the front jaws and push the collar away from you to release the rear jaws.

ONLY \$99⁹⁹!



The Dual Locking Head allows you to push onto valves facing towards you, or pull onto valves facing away from you.




LOCK-N-FLATE AIR CHUCK INFLATION IS A VACATION!

SECURE + HANDS-FREE + LEAK-FREE

- **REVOLUTIONARY DESIGN**
six steel jaws lock onto any Schrader valve to create a secure, hands free connection.
- **1/4" NPT THREAD SIZE**
compatible with most standard air hoses.
- **HARDENED STEEL COLLET**
Fits ALL standard Schrader valves (VG8/8V1 valve threads).
- **RATED TO 150 PSI**
Suitable for garage & Industrial systems, auto and manual tire inflators, portable pressure gauges & constant pressure systems.
- **HEAVY DUTY CONSTRUCTION**
is built to last and stand up to everyday use even in the busiest tire shops, service bays and garages.
- **SPRING LOADED TPU SEAL**
Inflates tires with or without the core valve in place.

ONLY \$39⁹⁹!



DEPRESS THE THUMB LEVER & PUSH ON THE TIRE VALVE, RELEASE THE LEVER TO SECURE THE AIR CHUCK & CREATE A LEAK-FREE CONNECTION!



IBS No. 5858

HARDENED STEEL COLLET FITS ALL
SHRADER VALVES RATED TO 150 PSI

SLIDING SLEEVE SECURELY
LOCKS THE AIR CHUCK ONTO
THE SHRADER VALVE